



University of the Philippines Visayas

Miag-ao, Iloilo, Philippines 5023

SUPPLY AND PROPERTY SERVICES OFFICE

Contact No.: (033) 315-81-41/+639177077232

Website Address: www.upv.edu.ph

REQUEST FOR QUOTATION

Date: **March 27, 2024**

Quotation Number: **2024 - 190**

Mode of Procurement: Negotiated

Procurement due to failed Bid

MPS-2023 - 0747

RECANVASS 2023-464

Please quote us your best offer on the item/s listed below, subject to the terms and conditions.

- Submit proposal to SPSO City Campus or Miagao Campus or EMAIL to: pps@upv.edu.ph
- Indicate company name, address, and quotation number on the envelope or in your email subject.
- Affix full signature over printed name.

DEADLINE : 4.3.24

Jms
Emiliza C. Lozada
EMILIZA C. LOZADA *oic 3-27-24*
 CHIEF, SPSO *Ang*

Item No.	Qty	Unit	Item and Description	ABC	Brand / Model	Unit Price / Total Price
1	1	set	<p>Inverter Floor Mounted/ split type ACU, 5.0 tr., minimum cooling capacity: 60,000 kJ/Hr, Power consumption: 6,700 Watts Maximum. CSPF: Minimum of 4.4, Star Rating: Min. 5 star, Max. Rated Current: 29.2 Amp, Max, sound level @low: 52 dBA, Power supply: 230V / 60 Hz/ 1Ph, environment friendly refrigerant: HFC-R410A, Indoor dimension: 588mm x 1,924mm x 392mm, Outdoor Dimensions: 938mm x 1,336mm x 368mm, Pipe sizes (liquid/gas): Ø9.52mm / 19mm, Max. Pipe length: 30m, Powerful Airflow: min. of 20 meters long distance airflow, UVC/bulb Sterilization, HEPA Filter, 360 degree safety and Smart diagnostics, Touch Panel, Auto Louver Shut Off, Automatic Restart, Reliable Gold Fin, Wireless LCD Remote control, NEMA 3R circuit breaker, outdoor (min. 12 ft) and indoor steel bracket/stand, flushing and leak test of piping using nitrogen (250-450 psig), test using thermometer: minimum of 17 degrees should be the difference between supply and return air duct, including complete with installation testing and commisioning. Pull-out of existing unit. Cleaning of unit: twice in a year. Warranty: Two(2) years on all parts, PCBs, labor, compressor and other materials.</p> <ul style="list-style-type: none"> • Indoor-outdoor distance: ± 40 ft. • Indoor/outdoor location: Ground Floor (replace to old unit) • Electrical supply: To lay-out from existing ACU lines/outlet <p>(Suppliers are required to survey the location before submitting the quotation — pls. coordinate with CDMO Electrical Section)</p>	360,000.00		

2	1	unit	<p>1.5 HP, Inverter Wall Mounted/ Split type ACU, Cooling Capacity: 3.81 kW or 13,000 Btu./hr or higher, 1- Phase/230V/60Hz, environment friendly refrigerant: R-32, coefficient of performance (COP): not less than 3.77 W/W or EER equivalent, CSPF should be equal or more than 6.31 Wh/Wh, Power consumption (rated): 940 W and not more than 1,250 W, Piping connections: gas : Ø9.5mm , liquid: Ø6.4mm. 3D air flow (vertical and horizontal auto swing). All voltage guard — Super PCB (operating voltage range: 150V- 264V or higher, Protection range: 0-440V), Standby electricity saving, Self-diagnosis functions with remote controller, wireless remote control, Hermitically Sealed Swing type Compressor, with NEMA 3R circuit breaker. Electrical connection to existing ACU outlet, outdoor steel bracket and service area (min. 12 ft.). Flushing and leak test of piping using nitrogen (250-450 psig), test using thermometer: minimum of 17 degrees should be the difference between supply and return air duct., flushing and leak test of piping using nitrogen (250-450 psig), test using thermometer: minimum of 17 degrees should be the difference between supply and return air duct, Complete with installation testing and commissioning. Pull-out of existing AC lines and units. With twice cleaning of unit (within a year). Warranty: Five (5) years on the compressor, Three (3) years on PCBs, and One (1) year on all parts, labor, and other materials.</p> <ul style="list-style-type: none"> • Indoor-outdoor distance: ± 15 ft. • Indoor/outdoor location: Ground floor (replace to old units) • Electrical supply: To lay-out from existing ACU lines/outlet <p>(Suppliers are required to survey the location first before submitting their quotations — pls. coordinate with CDMO Electrical Section)</p>	80,000.00		
---	---	------	---	-----------	--	--

TLRC/ EARMARKED-2023-04-325 UGTI

Our Terms and Conditions

1. DELIVERY PERIOD: 40wd upon receipt of PO
2. PLACE OF DELIVERY: UPV Miagao Campus
3. PRICE VALIDITY : 20 days
4. Warranty Period : 5yrs on Compressor, 3yrs on PCB, 1yr on parts/labor
5. PAYMENT TERMS : 30 days

RECANVASS RFR-2023-464

RFR-2024-190

After having carefully read and accepted your terms and conditions, I/We quote you on the item/s at prices noted above.

P440K

FAXED:

Date: _____ Time: _____

Personally Distributed:

Received by:

Signature over Printed Name

Date

Printed Name / Signature

Tel No. / Cellphone No. / E-mail Address

Date